

Supporting document for October 2023 PHARMACY HIT Press Release

Terms to be added:

Interdisciplinary medical team conference (procedure)
Coordination of Care Plan (procedure)
Care Planning Session (procedure)
Discharge planning (procedure)
Coordination of transition of care plan (procedure)
Patient Contracting (procedure)
Implementation of pain guidelines (regime/therapy)
Implementation of alternate methods of pain control (procedure)
The process of creating a plan for pain management (procedure)
Documentation of pain medication action plan (procedure)
Review of prescription drug monitoring program record done (situation)
Age-related cognitive decline (finding)
Numbness of skin (finding)
Thoughts of self harm (finding)
Minimal cognitive impairment (finding)
Preoccupied with emotional problems (finding)
Memory recall finding (finding)
Anxiety about treatment (finding)
Unable to think clearly (finding)
Able to read (finding)
Unable to read (finding)
Demonstrates knowledge of medication management (finding)
Demonstrates knowledge of pain management (finding)
Thoughts of deliberate self harm (finding)
Plans for deliberate self harm without intent (finding)
Intent of deliberate self harm with detailed plans (finding)
Patient does not understand why taking all medication (finding)
Private health insurance held (finding)
Medicaid coverage (finding)
Medicare advantage coverage (finding)
Medicare Coverage (finding)
Medication dosage tapering (procedure)
Drug interaction with food (finding)

New PHARMACY HIT Value Sets to be added and the respective codes associated with value set

Add Social Determinants of Health Intervention Value set (terms listed below)

Assessment of progress toward goals to achieve food security (procedure)

Assessment of barriers in food insecurity care plan (procedure)

Coordination of resources to address food insecurity (procedure)

Counseling about nutrition using motivational interviewing strategy (procedure)

Add Medication list value set (terms listed below)

Active medication list

Reconciled medication list

Discharged medication list

Discontinued (inactive) medication list

Patient generated medication list

Medications that are private and that need patient consent to share

Medication administration list

Transfer medication list between facilities

Medication administration list for public health and CDC reporting

Add Pharmacy reason for intervention due to discontinued medication due to indication (terms listed below)

Drug treatment not indicated

Multiple medications taken for condition appropriately treated with single medication therapy

Patient condition appropriate for non-medication therapy

Medication taken to treat adverse drug reaction

Duplicate Drug Therapy discontinued

Recommendation to Discontinue Medication

Drug Course Completed

Recommendation to Change Medication

Drug Treatment No Longer Needed

Medication dose too high

Duration of medication therapy too short

Indicated but Cost Effective Alternatives Available

A method of administration of a dose form gradually

Pharmacy reason for intervention due to discontinued medication due to Effectiveness (terms listed below)

Medication not effective

More effective medication therapy available

Medication dosage form inappropriate
Medication dose too low
Medication dosage interval is too long
Drug Interactions Identified - Drug Changed
Duration of medication therapy too short
Recommendation to Change Medication
Drug interaction with food
Patient unable to obtain medication
Recommendation to Monitor Laboratory Results
Recommendation to Monitor Physiologic Parameters
Recommendation to Monitor Patient Satisfaction

Pharmacy reason for intervention due to discontinued medication due to safety (terms listed below)

Drug interaction Identified-drug changed
Treatment not tolerated
Medication dose too high
Medication dosage interval too short
Duration of medication therapy too long
Recommendation to Discontinue Medication
Medication Stopped - Contraindicated
Renal Function Monitoring
Recommendation to Change Medication
Recommendation to Monitor Physiologic Parameters
Medication Stopped - interaction
Medication Stopped - Side Effect
Recommendation to discontinue dietary supplement

Pharmacy reason for intervention due to discontinued medication due to adherence (terms listed below)

Patient misunderstood treatment instructions
Patient refused to take medication
Patient forgets to take medication
Patient unable to obtain medication
Unable to swallow
Unable to self- administer medication
Medication Dosage Form Inappropriate
Recommendation to Change Medication to Therapeutic Equivalent on Formulary
Recommendation to Change Medication
Recommendation to Change Medication Dose Form